

WEDNESDAY, APRIL 28TH, 2021 727 EAST 1ST STREET, MINDEN, NE 68959 (SHARED MEDICAL AREA AT NOON)

Board of Trustees Meeting

I. Call to Order and Roll Call Richard McBride, Board Chairman II. Public Comments/Communications III. Approval of Minutes 1. March 31st, 2021 (Regular Meeting) IV. Old Business V. New Business 1. Siemens Radiography Detector (Attachment A) Jessica Landers, Radiology Director 2. HVAC (Negative Air Flow) Proposal (Attachment B) Lenny Ginder, Maintenance Director 3. Voice-Over IP Phone System Proposal (Attachment C) 4. Stryker Stretcher Proposal (Attachment D) Kendra Brown, CNO 5. Vocera - Mobile Communication Proposal (Attachment E) VI. Reports 1. Kearney County Medical Fund Luke Poore, CEO 2. Financial/Statistical Reports and Update Gavin Blum, CFO a. Statistical/Financial Report for March 2021 b. Bad Debt Report 3. Ancillary Services Report Rebecca Cooke, COO a. Patient Care Services b. Hires/Terms - Employee Relations 4. Monthly Quality Assurance Review Kathy Middleswart, Director of QA/IC 5. CEO Reports, Updates and Policy Approvals Luke Poore, CEO a. Outpatient Services Update b. Electronic Health Record Update c. Balanced Scorecard Update (Attachment F) d. Clinic Intersection (Attachment G) e. Organizational Chart (Attachment H) f. Policies 6. Medical Staff Report Dr. Douglas Althouse, MD VII. Other Business 1. Clinic Entrance Update Dean Uhlenberg VIII. Executive Session 1. Credentials Janell Shelton, Clinic Director 2. Charity Care Gavin Blum, CFO 3. Personnel Luke Poore, CEO 4. Legal

X. Adjournment

IX. Other Comments/Communications

1. Date of Next General Meeting (May 26th, 2021)

Richard McBride, Board Chairman

NOTE: An agenda for said meeting is kept continuously current at the office of Connie Jorgensen, Administrative Assistant. Agenda of the meeting is posted at the time clock of KCHS, other areas of KCHS, KCHS Web Site, <u>www.kchs.org</u> and public entities. The Chairman reserves the right to take agenda items out of printed order. For more information, call 308.832.3400 Ext 2203 or 2800.